

Survey 2 ID	PICO Title		Final ranking	This is an indicative uncertainty and this question, or something like it was submitted by:	Outcomes to be measured	Reference to up-to date systematic review	Reference to out of date SR	Reference to an up to date, relevant and reliable SR which does not refer to uncertainty but could be extended	Protocol for a systematic review	Ongoing studies	Comparison	Health Topic	Age of patients/population
7	What is the most effective and safe group of oral treatments in treating Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: What is the most effective and safe group of oral treatments in treating Hidradenitis Suppurativa (e.g. antibiotics, hormonal treatments, retinoids, immunosuppressants, metformin, steroids)	Hidradenitis Suppurativa Ranked= 1	Patient - 57 Clinician - 112	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*; and health related costs. *Signifies Primary outcomes	Blok JL, van Hattem S, Jonkman MF, Horváth B. Systemic therapy with immunosuppressive agents and retinoids in hidradenitis suppurativa: a systematic review. British Journal of Dermatology. 2013 Feb;168(2):243-52. doi: 10.1111/bjd.12104-PMID: 23106519			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Drug	Skin disorders: Hidradenitis Suppurativa	Any age
25	What is the best management of pain associated with Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked= 10	Patient - 60 Clinician - 26	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*; and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Complementary therapies; Drug; Education and training; Exercise; Mixed or complex; Physical therapies; Psychological therapy; Service delivery; Surgery	Skin disorders: Hidradenitis Suppurativa	Any age
49	Is Hidradenitis Suppurativa an autoimmune disease?		Hidradenitis Suppurativa Ranked= 11	Patient - 58 Clinician - 11	Aetiology; Diagnostic				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Devices	Skin disorders: Hidradenitis Suppurativa	Any age
53	How do we improve awareness of Hidradenitis Suppurativa amongst healthcare professionals?		Hidradenitis Suppurativa Ranked= 12	Patient - 56 Clinician - 11	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*; and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Education and training	Skin disorders: Hidradenitis Suppurativa	Any age
5	How effective are oral treatments that affect the immune system in treating Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: How effective are oral treatments that affect the immune system (eg. Dapsone, ciclosporin, methotrexate, prednisolone) in treating Hidradenitis Suppurativa?	Hidradenitis Suppurativa Ranked= 13	Patient - 15 Clinician - 75	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*; and health related costs. *Signifies Primary outcomes	Blok JL, van Hattem S, Jonkman MF, Horváth B. Systemic therapy with immunosuppressive agents and retinoids in hidradenitis suppurativa: a systematic review. British Journal of Dermatology. 2013 Feb;168(2):243-52. doi: 10.1111/bjd.12104-PMID: 23106519			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Drug	Skin disorders: Hidradenitis Suppurativa	Any age
9	When is the best time to consider surgery to treat Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked= 14	Patient - 38 Clinician - 70	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*; and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Surgery; Service delivery	Skin disorders: Hidradenitis Suppurativa	Any age
21	How effective are topical antiseptics in treating Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: How effective are topical antiseptics in treating Hidradenitis Suppurativa? (soap, dermol, hibiscrub, chlorine)	Hidradenitis Suppurativa Ranked= 15	Patient - 23 Clinician - 41	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*; and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	An Investigation Into the Efficacy of Providone Topical Cream as Compared to 10% Benzoyl Peroxide Wash for the Treatment of Hidradenitis Suppurativa-NCT01818167	Drug; Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age

2	How effective are retinoids i.e. acitretin, isotretinoin in treating Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: How effective are retinoids i.e. acitretin, isotretinoin in treating Hidradenitis Suppurativa? (dose duration)	Hidradenitis Suppurativa Ranked- 16	Patient - 23 Clinician - 92	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes	Blok JL, van Hattem S, Jonkman MF, Honvth B. Systemic therapy with immunosuppressive agents and retinoids in hidradenitis suppurativa: a systematic review. British Journal of Dermatology. 2015 Feb;168(2):243-52. doi: 10.1111/bjd.12104-PMID: 23106519			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Drug	Skin disorders: Hidradenitis Suppurativa	Any age
41	How much do hormonal factors affect the severity of Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: How much do hormonal factors (puberty, menstruation, polycystic ovary syndrome, menopause) affect the severity of Hidradenitis Suppurativa?	Hidradenitis Suppurativa Ranked- 17	Patient - 39 Clinician - 24	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic; Prognosis	Skin disorders: Hidradenitis Suppurativa; Women's health conditions	Any age
3	Which oral antibiotic regimen is the most effective in treating Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: Which oral antibiotic regimen is the most effective in treating Hidradenitis Suppurativa? (e.g. dosage and duration; penicillins, tetracyclines, combined clindamycin and rifampicin)	Hidradenitis Suppurativa Ranked- 18	Patient - 43 Clinician - 101	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Drug	Skin disorders: Hidradenitis Suppurativa	Any age
1	How effective and safe are short term or long term oral antibiotics for Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked- 19	Patient - 55 Clinician - 67	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Drug	Skin disorders: Hidradenitis Suppurativa	Any age
27	What is the best management of an acute Hidradenitis Suppurativa flare?		Hidradenitis Suppurativa Ranked- 2	Patient - 43 Clinician - 56	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Complementary therapies; Drug; Diet; Education and training; Exercise; Mixed or complex; Physical therapies; Psychological therapy; Service delivery; Surgery; Vaccines and biologics	Skin disorders: Hidradenitis Suppurativa	Any age
6	How effective are hormone therapies, including spironolactone, for Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked- 20	Patient - 13 Clinician - 51	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Drug	Skin disorders: Hidradenitis Suppurativa	Any age
24	Is there an effective method of reducing frequency of flares/spread of lesions caused by Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: Is there an effective method (lifestyle, medical or surgery) of reducing frequency of flares/spread of lesions caused by Hidradenitis Suppurativa?	Hidradenitis Suppurativa Ranked- 21	Patient - 59 Clinician - 48	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kendel F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Complementary therapies; Drug; Diet; Education and training; Exercise; Mixed or complex; Physical therapies; Prognosis; Psychological therapy; Service delivery; Surgery; Vaccines and biologics	Skin disorders: Hidradenitis Suppurativa	Any age

13	Does weight reduction improve symptoms in people with Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked= 22	Patient - 38 Clinician - 69	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diet; Prognosis; Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age	
8	How effective is metformin in treating Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked= 23	Patient - 16 Clinician - 44	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Drug	Skin disorders: Hidradenitis Suppurativa	Any age	
20	What causes the itching that can be associated with Hidradenitis Suppurativa and how can it be controlled?		Hidradenitis Suppurativa Ranked= 24	Patient - 48 Clinician - 7	Aetiology of itching; management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Aetiology; Diagnostic; Drug	Skin disorders: Hidradenitis Suppurativa	Any age	
11	Is surgery effective in treating Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked= 25	Patient - 52 Clinician - 53	Management and or change of symptoms (itching, pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Surgery	Skin disorders: Hidradenitis Suppurativa	Any age	
54	What is the impact of Hidradenitis Suppurativa and the treatments on people with Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: What is the impact of Hidradenitis Suppurativa and the treatments on people with Hidradenitis Suppurativa (physical, psychological, financial, social, quality of life)?	Hidradenitis Suppurativa Ranked= 3	Patient - 63 Clinician - 32	Prognosis; management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic; Prognosis; Psychological therapy; Social care	Skin disorders: Hidradenitis Suppurativa	Any age	
4	How effective are biologics in treating Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: How effective are biologics (etanercept, adalimumab, infliximab, ustekinumab) in treating Hidradenitis Suppurativa?	Hidradenitis Suppurativa Ranked= 4	Patient - 20 Clinician - 96	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	A Phase 3, Open-Label Study of the Safety and Efficacy With Adalimumab in Subjects With Moderate to Severe Hidradenitis Suppurativa - PIONEER (Open-Label Extension) AbbVie, -NCT01835764→A Proof of Concept Study to Evaluate the Effectiveness of Ustekinumab in Hidradenitis Suppurativa (HFS)-NCT01704534	Vaccines and biologicals	Skin disorders: Hidradenitis Suppurativa	Any age
36	Does early diagnosis and aggressive treatment influence the course of Hidradenitis Suppurativa?		Hidradenitis Suppurativa Ranked= 5	Patient - 26 Clinician - 51	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Pignat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic; Psychological therapy; Service delivery	Skin disorders: Hidradenitis Suppurativa	Any age	

10	What is the best surgical procedure to perform in treating Hidradenitis Suppurativa e.g. incision & drainage, local excision, wide excision?		Hidradenitis Suppurativa Ranked= 6	Patient - 44 Clinician - 59	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Surgery	Skin disorders: Hidradenitis Suppurativa	Any age
42	Which factors are useful in determining the prognosis of Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: Which factors are useful in determining the prognosis (disease progression) of Hidradenitis Suppurativa?	Hidradenitis Suppurativa Ranked= 7	Patient - 15 Clinician - 35	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic; Prognosis	Skin disorders: Hidradenitis Suppurativa	Any age
12	What is the best method of wound care after surgery or for active disease for Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was:What is the best method of wound care after surgery or for active disease for Hidradenitis Suppurativa?(e.g. Skin grafts, secondary intention, dressings)	Hidradenitis Suppurativa Ranked= 8	Patient - 31 Clinician - 25	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Devices; Service delivery; Surgery	Skin disorders: Hidradenitis Suppurativa	Any age
55	To what extent is Hidradenitis Suppurativa caused by genetic factors?		Hidradenitis Suppurativa Ranked= 9	Patient - 38 Clinician - 29	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Aetiology; Diagnostic	Skin disorders: Hidradenitis Suppurativa; Genetic disorders	Any age
35	What is the best psychological support for people with Hidradenitis Suppurativa?		This indicative question came 26 in the Hidradenitis Suppurativa PSP	Patient - 32 Clinician - 22	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Psychological therapy	Skin disorders: Hidradenitis Suppurativa; Mental health	Any age
15	Does smoking affect Hidradenitis Suppurativa?		This indicative question came 27 in the Hidradenitis Suppurativa PSP	Patient - 24 Clinician - 35	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Aetiology	Skin disorders: Hidradenitis Suppurativa	Any age
14	Does diet have any effect on the severity of Hidradenitis Suppurativa?		This indicative question came 28 in the Hidradenitis Suppurativa PSP	Patient - 44 Clinician - 22	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diet	Skin disorders: Hidradenitis Suppurativa	Any age

29	Does stress trigger a flare of Hidradenitis Suppurativa?		This indicative question came 29 in the Hidradenitis Suppurativa PSP	Patient - 48 Clinician - 5	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Aetiology	Skin disorders: Hidradenitis Suppurativa	Any age
34	Are natural products or dietary supplements effective for the treatment of Hidradenitis Suppurativa?	This title has been shortend for software reasons. The full title was: Are natural products or dietary supplements (e.g. turmeric, zinc, vitamin B12, serocytyle) effective for the treatment of Hidradenitis Suppurativa?	This indicative question came 30 in the Hidradenitis Suppurativa PSP	Patient - 41 Clinician - 8	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Diet	Skin disorders: Hidradenitis Suppurativa	Any age
50	To what extent is Hidradenitis Suppurativa a disease affecting the entire body rather than just the skin?		This indicative question came 31 in the Hidradenitis Suppurativa PSP	Patient - 37 Clinician - 14	Aetiology, diagnosis, prognosis				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Diagnostic, Aetiology	Skin disorders: Hidradenitis Suppurativa	Any age
30	Should boils be burst by people with Hidradenitis Suppurativa to relieve pain and what is the best way of doing so?		This indicative question came 32 in the Hidradenitis Suppurativa PSP	Patient - 39 Clinician - 10	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age
26	What is the best treatment for the physical appearance of Hidradenitis Suppurati?	This title has been shortend for software reasons. The full title was: What is the best treatment for the physical appearance of Hidradenitis Suppurativa (e.g. scarring, pigmentation, redness)?	This indicative question came 33 in the Hidradenitis Suppurativa PSP	Patient - 28 Clinician - 7	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Randomized Control Trial Comparing Efficacy of Antibiotic Therapy Alone Versus Antibiotic Therapy in Conjunction With Quadruple Pulse Therapy Using NdYag Laser in Treatment of Hidradenitis Suppurativa NCT01063270	Complementary therapies; Drug; Diet; Education and training; Exercise; Mæed or complex; Physical therapies; psychological therapy; Surgery; Vaccines and biologicals	Skin disorders: Hidradenitis Suppurativa	Any age
43	Is there a link between Hidradenitis Suppurativa and metabolic disease?	This title has been shortend for software reasons. The full title was: Is there a link between Hidradenitis Suppurativa and metabolic disease (diabetes, obesity, insulin resistance)?	This indicative question came 34 in the Hidradenitis Suppurativa PSP	Patient - 18 Clinician - 27	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Diagnostic, Aetiology	Skin disorders: Hidradenitis Suppurativa	Any age
19	What is the best management for odour associated with Hidradenitis Suppurativa ?		This indicative question came 35 in the Hidradenitis Suppurativa PSP	Patient - 28 Clinician - 14	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081		Complementary therapies; Drug; Diet; Education and training; Exercise; Mæed or complex; Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age
33	Is laser treatmeffective for Hidradenitis Suppurativa ?	This title has been shortend for software reasons. The full title was: Is laser treatment (tissue or hair removal) effective for Hidradenitis Suppurativa ?	This indicative question came 36 in the Hidradenitis Suppurativa PSP	Patient - 28 Clinician - 19	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation, increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes	Nd:YAG laser for the treatment of patients with hidradenitis suppurativa: a review of the clinical effectiveness, cost-effectiveness, and safet http://www.cath.ca/media/pdf/htis/1aug-2013/RC0473%20NdYAG%20laser%26Final.pdf			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdell F, Burton T, Ormerod AD, Garner SE, Hood K, Piguot V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Randomized Control Trial Comparing Efficacy of Antibiotic Therapy Alone Versus Antibiotic Therapy in Conjunction With Quadruple Pulse Therapy Using NdYag Laser in Treatment of Hidradenitis Suppurativa-NCT01063270	Devices; Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age

38	How can we reduce diagnosis delay of Hidradenitis Suppurativa ?		This indicative question came 37 in the Hidradenitis Suppurativa PSP	Patient - 30 Clinician - 6	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Service delivery	Skin disorders: Hidradenitis Suppurativa	Any age
40	Can a better Hidradenitis Suppurativa severity scoring system be devised that is practical to use?		This indicative question came 38 in the Hidradenitis Suppurativa PSP	Patient - 11 Clinician - 29	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Service delivery	Skin disorders: Hidradenitis Suppurativa; Service delivery	Any age
39	At what point should people with Hidradenitis Suppurativa be referred for specialist care?		This indicative question came 39 in the Hidradenitis Suppurativa PSP	Patient - 28 Clinician - 15	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Service delivery	Skin disorders: Hidradenitis Suppurativa; Service delivery	Any age
22	How effective are topical antibiotics (applied to the skin) in treating Hidradenitis Suppurativa ?	This title has been shortend for software reasons. The full title was: How effective are topical antibiotics (applied to the skin) in treating Hidradenitis Suppurativa ?	This indicative question came 40 in the Hidradenitis Suppurativa PSP	Patient - 16 Clinician - 25	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Drug	Skin disorders: Hidradenitis Suppurativa	Any age
32	Is hair removal of benefit in Hidradenitis Suppurativa ?	This title has been shortend for software reasons. The full title was: Is hair removal (laser, electrolysis, shaving) of benefit in Hidradenitis Suppurativa ?	This indicative question came 41 in the Hidradenitis Suppurativa PSP	Patient - 22 Clinician - 20	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age
23	How effective is botox in treating Hidradenitis Suppurativa ?		This indicative question came 42 in the Hidradenitis Suppurativa PSP	Patient - 17 Clinician - 18	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Vaccines and biologicals	Skin disorders: Hidradenitis Suppurativa	Any age
18	Does sweating make Hidradenitis Suppurativa worse and could antiperspirant/ deodorants be helpful?		This indicative question came 43 in the Hidradenitis Suppurativa PSP	Patient - 25 Clinician - 6	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes			Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piguat V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Aetiology, Environmental	Skin disorders: Hidradenitis Suppurativa	Any age

37	Are there universally accepted criteria for the diagnosis of Hidradenitis Suppurativa ?		This indicative question came 44 in the Hidradenitis Suppurativa PSP	Patient - 14 Clinician - 21	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic	Skin disorders: Hidradenitis Suppurativa	Any age
46	Does Hidradenitis Suppurativa make skin cancer more likely?		This indicative question came 45 in the Hidradenitis Suppurativa PSP	Patient - 30 Clinician - 1	Incidence of skin cancer				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Physical therapies	Cancer; Skin disorders: Hidradenitis Suppurativa	Any age
31	Is phototherapy (UVB or PUVA) an effective and safe treatment for Hidradenitis Suppurativa ?		This indicative question came 46 in the Hidradenitis Suppurativa PSP	Patient - 13 Clinician - 19	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Devices; Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age
45	Is there a link between Hidradenitis Suppurativa and other skin diseases?		This indicative question came 47 in the Hidradenitis Suppurativa PSP	Patient - 24 Clinician - 11	Incidence of Hidradenitis Suppurativa and other skin diseases: management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic; Aetiology	Skin disorders: Hidradenitis Suppurativa	Any age
47	How common is Hidradenitis Suppurativa ?		This indicative question came 48 in the Hidradenitis Suppurativa PSP	Patient - 20 Clinician - 12	Incidence of Hidradenitis Suppurativa				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Epidemiology	Skin disorders: Hidradenitis Suppurativa	Any age
28	Are some treatments better than others depending on which body site is involved?	This title has been shortend for software reasons. The full title was: Are some treatments better than others depending on which body site is involved (arm pits, groin, etc)?	This indicative question came 49 in the Hidradenitis Suppurativa PSP	Patient - 19 Clinician - 19	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Complementary therapies; Drug; Diet; Education and training; Exercise; Mixed or complex; Physical therapies; Psychological therapy; Service delivery; Surgery; Vaccines and biologicals	Skin disorders: Hidradenitis Suppurativa	Any age
48	Are bacteria important in causing Hidradenitis Suppurativa or triggering flares in Hidradenitis Suppurativa ?		This indicative question came 50 in the Hidradenitis Suppurativa PSP	Patient - 10 Clinician - 19	Incidence of Hidradenitis Suppurativa: management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. : CD010081. DOI: 10.1002/14651858.CD010081	Aetiology; Diagnostic	Skin disorders: Hidradenitis Suppurativa	Any age

16	Does personal hygiene have any effect on the severity of Hidradenitis Suppurativa ?		This indicative question came 51 in the Hidradenitis Suppurativa PSP	Patient - 19 Clinician - 7	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Aetiology; Diagnostic	Skin disorders: Hidradenitis Suppurativa	Any age
44	Is there a link between Hidradenitis Suppurativa and inflammatory bowel disease?	This title has been shortend for software reasons. The full title was: Is there a link between Hidradenitis Suppurativa and inflammatory bowel disease (Crohns, ulcerative colitis)?	This indicative question came 52 in the Hidradenitis Suppurativa PSP	Patient - 18 Clinician - 11	Incidence of Hidradenitis Suppurativa and Inflammatory bowel disease				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic; Aetiology	Skin disorders: Hidradenitis Suppurativa	Any age
51	Why does Hidradenitis Suppurativa affect different body sites in different individuals?		This indicative question came 53 in the Hidradenitis Suppurativa PSP	Patient - 11 Clinician - 10	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Aetiology; Diagnostic; Prognosis	Skin disorders: Hidradenitis Suppurativa	Any age
17	Does clothing affect Hidradenitis Suppurativa	This title has been shortend for software reasons. The full title was: Does clothing affect Hidradenitis Suppurativa ? (e.g. cotton, low friction fabric such as silk)	This indicative question came 54 in the Hidradenitis Suppurativa PSP	Patient - 15 Clinician - 3	Management and or change of symptoms (pain, Hidradenitis Severity Score, time to remission and duration of remission, physician and patient assessment of change); adverse effects* (morbidity, hospital admission), or complications (adverse effects leading to treatment discontinuation ,increased duration of treatment); acceptability to patients or carers; time to return to work or normal activity; time in hospital and or needing health or social care services; health related quality of life*, and health related costs. *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Devices; Physical therapies	Skin disorders: Hidradenitis Suppurativa	Any age
52	Could low birthweight be a factor in the development of Hidradenitis Suppurativa ?		This indicative question came 55 in the Hidradenitis Suppurativa PSP	Patient - 4 Clinician - 3	Incidence of Hidradenitis Suppurativa *Signifies Primary outcomes				Ingram JR, Desai N, Kai AC, Chua SL, Woo P-N, Kerdel F, Burton T, Ormerod AD, Garner SE, Hood K, Piquet V. Interventions for hidradenitis suppurativa. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010081. DOI: 10.1002/14651858.CD010081	Diagnostic	Skin disorders: Hidradenitis Suppurativa	Any age