stion ID	Question	Origin of Question	Question originated from more than one group	Number of Responses Origin of Views	Answered?	Reference for Answer	Comment		2nd Included in 11 questi
CITIE	How can the causative factors of intrapartum stillbirth be identified and addressed to reduce the incidence of intrapartum deaths? (	Charity Worker & Friend	No	2 Incorporated others views	No No	NOTICE OF ANY CO.	Comment	Survey)	11 questi
	Are there any warning signs of intrapartum stillbirth?	Charity Worker & Friend, Neonatologist	Yes	2 Respondents views only	No	Darmstadt et al. Reducing Stillbirths: interventions during labour (Systematic Review) BMC Pregnancy			
	Do staffing levels affect the risk of intrapartum stillbirth?	Charity Worker & Professional	No	1 Respondents views only	Yes	and Childbirth 2009 9()Suppl 1):S6.			
	Which, if any, forms of intrapartum fetal monitoring reduce the incidence of intrapartum stillbirth?	Parent	No	1 Respondents views only	Yes	Darmstadt et al. Reducing Stillbirths: interventions during labour (Systematic Review) BMC Pregnancy and Childbirth 2009 9()Suppl 1):S6.			
	Does the timing of birth (in/out of hours) have an effect on the incidence of stillbirth?	Indicative Friend/Family	No Yes	2 Barrandarda da da cala	No		Conflicting results from studies		
	Is prolonged labour (latent phase, first stage, second stage) associated with intrapartum stillbirth?  What are the causes of stillbirth which happens in labour and/or delivery (intrapartum stillbirth)?	Obstetrician, Charity Worker & Professional, Parent	Yes	2 Respondents views only 3 Incorporated others views	No			Yes	
	Is there relationship between stillbirth and substandard maternity care?  Does assessment of the fetal heart rate on admission in labour reduce the incidence of intrapartum stillbirth?	Obstetrician Friend/Family	No No	1 Respondents views only 1 Incorporated others views	Yes	Multiple Confidential Enquiries (CESDI, CMACE reports)	Unanswered		
)	Do stillbirths on the labour ward happen in clusters and is there an underlying cause?	Obstetrician	No	1 Respondents views only	No		onanswered.		
1 2	Does the frequency of antenatal checks during pregnancy impact on the incidence of stillbirth?  Does incomplete information about previous pregnancies and births increase the incidence of stillbirth?	Parent, Midwife, Friend, Family Parent	Yes	8 Respondents views only 1 Respondents views only	Yes				
3	Does maternal sleep position alter the risk of stillbirth in the third trimester of pregnancy?	Parent, Parent/Professional, Obstetrician	Yes	3 Respondents views only	No		Unanswered due to low numbers of studies		
4 5	How can access to maternity care be improved in pregnancy?  Is relevant information missed in antenatal appointments due to time constraints?	Midwife Parent	No No	1 Respondents views only 1 Respondents views only	Yes				
6	What are the main barriers preventing women from attending antenatal care?	midwife	No	1 Incorporated others views	No				
7 3	Which antenatal care interventions are associated with a reduction in the number of stillbirths?  What is the detection rate of antenatal complications in the UK?	Midwife, Friend/Family, Professional & Parent, Obstetrician Obstetrician	Yes No	4 Incorporated others views 1 Incorporated others views	No No			Yes	Yes
9	Which aspects of antenatal care reduce the incidence of stillbirth?	Parent	No	2 Respondents views only	No		Some indication that unanswered from Cochrane reviews		
	Does consultant-led care for all nulliparous women reduce the incidence of stillbirth?  Does continuity of midwifery care during pregnancy reduce the incidence of stillbirth?	Professional Charity Worker, Parent	No Yes	1 Respondents views only 3 Incorporated others views	No Yes	Sandall J et al. Cochrane Database Syst Rev, 2013, 8:CD004667			
	Would open-access antenatal care reduce the incidence of stillbirth?	Midwife	No	1 Respondents views only	No				
	Would routine antenatal testing for Group B Streptococcus and intrapartum prophylaxis for carriers reduce the incidence of stillbirth?	Charity Worker	No	1 Incorporated others views	No		Unanswered. NICE guideline.		
4	Would making antenatal care more consistent (standardised) reduce the incidence of stillbirth?	Parent, Charity Worker & Parent, Midwife, Charity Worker	Yes	4 Incorporated others views	No			Yes	
	Does personalised antenatal care and assessment reduce the incidence of stillbirth?  How can the detection rate of antenatal fetal compromise be improved?	Parent Parent	No No	1 Respondents views only 1 Respondents views only	No No				
	What are the most effective strategies to predict stillbirth in low-risk women? What influences medical-professionals decision making in antenatal care?	Indicative Parent	No	1 Respondents views only	No				
	What is the best method for health professional to discuss stillbirth with women and their partners?	Parent	No	2 Respondents views only	No				
	What is the best method to provide antenatal care for high-risk women to reduce the risk of stillbirth?	Parent	No	2 Respondents views only 1 Respondents views only	No				
	Would weekly antenatal checks after 37 weeks reduce the incidence of stillbirth?  Are there minimum standards for antenatal screening including ultrasound?	Midwife Friend/Family, Obstetrician	Yes	2 Respondents views only	No No				
	Do measurements of wrists and ankles help to identify preeclampsia?	Parent	No	1 Respondents views only	No	Discours shall live Cound Tool supplement detection and treatment of supplificing			
						Blencowe et al. Lives Saved Tool supplement detection and treatment of synphilis in pregnancy to reduced syphilis related stillbirths and neonatal mortality BMC Public Health 2011 11(Suppl 3):59. Wu et			
	Could there be more screening of blood for: a) Obstetric Cholestasis, b) Antiphosphoplipid syndrome, c) Systemic Lupus Erythaematosus, d)					al. Screening for Thrombophilia in high-risk situations: systematic review and cost-effectiveness analysis.  The Thrombosis: Risk and Economic Assessment of Thrombophilia screening (TREATS) study Health			
	Infection (viral and bacterial), e) gestational diabetes, f) preeclampsia	Parent, Midwife, Professional & Parent, Charity Worker & Midwife	Yes	20 Incorporated others views	No	Technology Assessment 2006;10:11.	Unanswered, except syphilis	Yes	
	Should there be increased surveillance in 3rd trimester?	Friend/Family	No	1 Respondents views only	No				
	Can anything be done to improve fetal outcomes in cases of placenta praevia?  Would screening for velementous insertion of the cord reduce stillbirth?	Parent Parent	No No	1 Incorporated others views 1 Respondents views only	No No				
	Is there a tool to support risk assessment?	Midwife, Obstetrician	Yes	4 Respondents views only	No				
	Would a higher financial penalty for stillbirth reduce the incidence of stillbirth?	Professional  Parent, Friend/Family, Pathologist & Friend/Family, Professional, Midwife,	No	1 Incorporated others views	No				
	What causes stillbirth or increases the likelihood of it occurring?	Charity Worker & Professional & Friend/Family, Professional, Midwile,	Yes	22 Incorporated others views	No			Yes	
	What can women do to prevent stillbirth?	Parent, Friend/Family, Professional	Yes	5 Respondents views only	No				
	Does maternal hydration impact on SB risk?  Does measurement of symphysis-fundal height reduce stillbirth?	Professional & Parent Parent, Obstetrician	No Yes	1 Respondents views only 2 Respondents views only	No No				
	What is the value of customised growth charts?	Midwife, Neonatologist	Yes	9 Respondents views only	No				
		Charity Worker & Professional, Parent, Obstetrician, Midwife, Professional/Parent & Friend/Family, Friend Family, Pathologist,							
	Does ultrasound assessment of fetal growth in the third trimester reduce stillbirth?	Neonatologist	Yes	34 Incorporated others views	No	Bricker L, Neilson JP, Dowswell T. Cochrane Database Syst Rev 2008,4:CD001451	Review - states that it needs to be revisited	Yes	Yes
	How can the detection of fetal growth restriction be improved antenatally?	Midwife, Parent/Professional, Parent, Pathologist, Charity Worker, Neonatologist, Obstetrician	Yes	10 Respondents views only	No				
	What is the optimal management for pregnancies complicated by fetal growth restriction to prevent stillbirth?	Parent, Midwife, Charity Worker	Yes	5 Respondents views only	No				
	Does improved detection of fetal growth restriction reduce the incidence of stillbirth?  How can fetal growth restriction be better identified at post-mortem?	Midwife Obstetrician	No No	1 Respondents views only 1 Respondents views only	Yes				
	How frequently should we assess fetal growth by ultrasound scan?	Indicative	No	T respondents views only	No				
	What is the optimal method to measure and record symphysis-fundal height?  Is inconsistent use of symphysis-fundal height and ultrasound assessment of fetal growth associated with a stillbirth?	Parent Parent	No No	1 Respondents views only 1 Respondents views only	No No				
	How can we optimise detection of fetal growth restriction in obese women? (reworded)	Obstetrician	No	1 Incorporated others views	No				
	Would additional scanning during the second trimester help prevent stillbirth?	Indicative Parent, Charity Worker & Professional, Parent/Professional, Midwife,	No		No				
		Friend/Family, Professional, Pathologist, Obstetrician, Charity Worker,							
	Would increased frequency of umbilical artery Doppler scanning during pregnancy reduce stillbirth?	Professional & Parent & Friend/Family	Yes	30 Incorporated others views	No	Alfirevic Z, Stampalija T, Gyte G. Cochrane Database Syst Rev 2010,8:CD001450	Answered for high-risk (beneficial), not for low-risk	Yes	
	Would performing uterine artery Doppler scanning at the 20 week scan reduce stillbirth?  What is the relative role of uterine artery Doppler scanning vs. conventional risk factors for predicting stillbirth?	Parent/Professional, Parent, Professional & Friend/Family, Midwife Obstetrician	Yes No	4 Respondents views only 1 Respondents views only	No No				
	After what duration of reduced / absent movements should women seek help?	Obstetrician, Midwife	Yes	2 Incorporated others views	No				
	Are increased fetal movements associated with an increased risk of stillbirth?  Are reduced fetal movements associated with an increased risk of stillbirth?	Parent/Professional, Friend/Family, Midwife Obstetrician, Midwife	Yes Yes	3 Incorporated others views 2 Respondents views only	No No			Yes	
	Can assessment of the quality of fetal movements be used to predict risk of stillbirth?	Obstetrician	No	1 Respondents views only	No				
	Do women of all cultures understand the significance of reduced fetal movements?	Midwife	No	1 Respondents views only	No				
	How can we empower women from different cultural and language backgrounds to understand symptoms and signs of fetal compromise?	Professional	No	1 Incorporated others views	No				
	Were women who have had a stillbirth informed about the importance of reduced fetal movements and the need to attend maternity care?	Midwife	No	1 Respondents views only	No				
	What is the optimal management of women presenting with reduced fetal movements?	Parent	No	1 Respondents views only	No				
	What are the factors determining maternal response to reduced fetal movements?	Midwife, Obstetrician	Yes	2 Respondents views only	No				
	What is the correct information regarding reduced fetal movements in late pregnancy?  What is the best way of educating women about fetal activity and reduced fetal movements in pregnancy?	Midwife, Parent, Charity Worker & Professional Midwife, Obstetrician	Yes Yes	10 Respondents views only 5 Incorporated others views	No No			Yes	
	What underpins staff attitudes about reduced fetal movements?	Parent	No	1 Respondents views only	No				
	Does formal fetal movement counting (e.g. "kick-counting") reduce the incidence of stillbirth?  Would increased maternal awareness of fetal movements and fast presentation with reduced fetal movements to a health professional reduce the	Midwife, Parent, Charity Worker, Neonatologist	Yes	5 Incorporated others views	No	Mangesi et al. Cochrane Database of Systematic Reviews, 2007, 1:CD004909		Yes	
	incidence of stillbirth?	Parent, Obstetrician	Yes	3 Incorporated others views	No			Yes	
	Would standardised information about fetal movements and management of reduced fetal movements reduce the incidence of stillbirth?		Vac		No			Vor	
	Would educating parents about relevant signs and symptoms reduce the number of stillbirths?	Pathologist, Midwife Indicative	No No	2 Respondents views only	No			Yes	Yes
	What is the optimal method to educate midwives about reduced fetal movements?	Parent	No No	1 Respondents views only	No				
	Are there more effective ways of tracking fetal movements and detecting abnormalities than 'counting kicks'?  Are fetal movements an indicator of a healthy fetus?	Midwife Indicative	No No	1 Respondents views only	No No				
			No	1 Paramatanta de la colo	N.e.			V=-	W
	Which investigations identify a fetus which is at risk of stillbirth after a mother believes she has experienced reduced fetal movements?  Do mothers have any experience/inclination/feeling that things were not quite right prior to the diagnosis of stillbirth?	Obstetrician Parent, Midwife	No Yes	1 Respondents views only 3 Respondents views only	No No			Yes	Yes
	How can mothers' concerns be incorporated into risk assessment for stillbirth?	Midwife, Charity Worker	Yes	2 Incorporated others views	No				
		Professional/Parent, Midwife	Yes	2 Incorporated others views	No				
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?		Yes	9 Respondents views only	No				
		Parent, Pathologist, Charity Worker & Professional & Parent, Obstetrician		2 Respondents views only	No No				
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?	Parent, Midwife	Yes						
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?		Yes No No	1 Respondents views only	No				
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women 35 about their increased risk of late stillbirth reduce the incidence of stillbirth?  Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker	Yes No No Yes	1 Respondents views only 3 Incorporated others views	No Yes	Reddy et al. AmJOG 2006;764-770			
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women -33 about their increased risk of late stillbirth reduce the incidence of stillbirth? Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?  Is the age of the mother (over 35/40 or what age?) a risk for stillbirth? Is age plus duration of pregnancy a risk for stillbirth?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker Parent/Professional, Parent, Obstetrician	Yes No No Yes Yes No	Respondents views only     Incorporated others views     Incorporated others views	Yes	Reddy et al. AmJOG 2006;764-770 Reddy et al. AmJOG 2006;764-770			
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women 35 about their increased risk of late stillbirth reduce the incidence of stillbirth?  Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker	Yes	1 Respondents views only 3 Incorporated others views					
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women >35 about their increased risk of late stillbirth reduce the incidence of stillbirth?  Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?  Is the age of the mother (over \$35/40 or what age?) a risk for stillbirth? Is age plus duration of pregnancy a risk for stillbirth?  Which antenatal risk factors are associated with stillbirth?  Can the risk of stillbirth be estimated in early pregnancy?  Does drinking alcohol before or in early pregnancy increase the risk of stillbirth?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker Parent, Friend/Family, Charity Worker Parent/Professional, Parent, Obstetrician Charity Worker & Parent & Friend/Family Parent/Professional Indicative	Yes	1 Respondents views only 3 Incorporated others views 8 Incorporated others views 1 Respondents views only 1 Respondents views only	Yes Yes No No				
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women >35 about their increased risk of late stillbirth reduce the incidence of stillbirth?  Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?  Is the age of the mother (over \$35/40 or what age?) a risk for stillbirth? Is age plus duration of pregnancy a risk for stillbirth?  Which antenatal risk factors are associated with stillbirth?  Can the risk of stillbirth be estimated in early pregnancy?  Does drinking alcohol before or in early pregnancy increase the risk of stillbirth?  Should women with a low-PAPP-A have serial scans during pregnancy?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker Parent/Professional, Parent, Obstetrician Charity Worker & Parent & Friend/Family Parent/Professional	Yes	1 Respondents views only 3 Incorporated others views 8 Incorporated others views 1 Respondents views only	Yes				
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women >35 about their increased risk of late stillbirth reduce the incidence of stillbirth?  Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?  Is the age of the mother (over \$35/40 or what age?) a risk for stillbirth? Is age plus duration of pregnancy a risk for stillbirth?  Which antenatal risk factors are associated with stillbirth?  Can the risk of stillbirth be estimated in early pregnancy?  Does drinking alcohol before or in early pregnancy increase the risk of stillbirth?  Should women with a low-PAPP-A have serial scans during pregnancy?  What are the effects of poverty on stillbirth?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker Parent, Friend/Family, Charity Worker Parent/Professional, Parent, Obstetrician Charity Worker & Parent & Friend/Family Parent/Professional Indicative Friend/Family Indicative	Yes	1 Respondents views only 3 Incorporated others views 8 Incorporated others views 1 Respondents views only 1 Respondents views only 1 Incorporated others views	Yes Yes No No No	Reddy et al. AmJOG 2006;764-770			
	Would incorporation of mothers' concerns regarding their pregnancy into a risk assessment model reduce the risk of stillbirth?  Which symptoms and signs are associated with antepartum stillbirth?  Are women over the age of 35 aware of their increased stillbirth risk in late pregnancy?  Are professionals aware that women over the age of 35 have an increased stillbirth risk in late pregnancy?  Does educating women >35 about their increased risk of late stillbirth reduce the incidence of stillbirth?  Is increased maternal age associated with higher stillbirth rate in pregnancies beyond 40 weeks?  Is the age of the mother (over \$35/40 or what age?) a risk for stillbirth? Is age plus duration of pregnancy a risk for stillbirth?  Which antenatal risk factors are associated with stillbirth?  Can the risk of stillbirth be estimated in early pregnancy?  Does drinking alcohol before or in early pregnancy increase the risk of stillbirth?  Should women with a low-PAPP-A have serial scans during pregnancy?	Parent, Midwife Midwife Indicative Parent, Friend/Family, Charity Worker Parent/Professional, Parent, Obstetrician Charity Worker & Parent & Friend/Family Parent/Professional Indicative Friend/Family	Yes	1 Respondents views only 3 Incorporated others views 8 Incorporated others views 1 Respondents views only 1 Respondents views only	Yes Yes No No No	Reddy et al. AmJOG 2006;764-770  Deprived neighborhoods and adverse perinatal outcome: Systematic Review. Vos et al. Acta Obstetricia			

		Notice .	N.						
93 94	Does maternal blood pressure alter the risk of stillbirth in the third trimester of pregnancy?  Would testing all patients undergoing IVF for thrombophilia reduce the incidence of stillbirth?	Indicative Parent	No No	1 Respondents views only	Yes No				
95	Should women who smoke cigarettes have consultant-led care?	Indicative	No		No				
96	What are the most effective strategies to reduce stillbirths in in women with increased BMI in pregnancy?	Obstetrician	No	1 Incorporated others views	No				
97 98	Are interventions to reduce stillbirth equally effective in women of different ethnicities?  Is there a link between ethnicity and length of gestation?	Neonatologist Midwife, Neonatologist, Obstetrician	No Yes	1 Respondents views only 6 Respondents views only	No No		Preliminary evidence only		
99	Does automated assessment of fetal heart rate reduce the incidence of antepartum stillbirths?	Indicative	No	· ····,	No		,		
100	Does regular antenatal fetal heart rate monitoring reduce the incidence of stillbirth in low-risk women?	Parent	No No	1 Incorporated others views	No				
101 102	Does regular antenatal fetal heart rate monitoring reduce the incidence of stillbirth in high-risk women?  Does increased fetal monitoring during pregnancy affect maternal anxiety?	Indicative Friend/Family, Professional	Yes	2 Respondents views only	No No				
103	What techniques of fetal monitoring reduce stillbirths in the 3rd trimester?	Obstetrician	No	1 Respondents views only	No				
	Can additional/alternative routine tests or additional/closer monitoring, especially in the third trimester of pregnancy or at/after full term, help								
104	prevent stillbirth eg placenta checks, blood tests of maternal liver function, monitoring weight gain/loss, especially when the fetus appears to be growing appropriately?	Parent, Parent/Professional, Professional & Friend/Family, Obstetrician, Friend/Family, Charity Worker	Yes	24 Incorporated others views	No		See Q34 - unanswered except for syphilis screening.	Yes	Yes
104	graming appropriately.	Thensy anny, entirely worker		24 mediporated outers fiews			see qs- ununswered except to syphilis serecting.	103	103
105	Are there any markers, either in the mother or in early pregnancy, that indicate the risk of stillbirth (i.e. biomarkers, diagnostic tests)?	Charity Worker & Parent	Yes	24 Incorporated others views	No	Pasupathy and Smith, Minerva Ginecologica, 2005; Conde-Agudelo, BJOG 2014.	Associations but none sufficiently significant to justify population based screening	Yes	
106 107	Can maternal screening help prevent stillbirth by identifying those most at risk and then monitoring them more closely?  How can umbilical cord function and any associated complications be detected during pregnancy?	Parent Parent, Parent/Professional, Charity Worker & Midwife	No Yes	1 Respondents views only 7 Incorporated others views	No No		Preliminary data	Yes	
108	How can the function of the placenta be measured and would such measures enable issues with the placenta to be detected earlier?	Friend/Family, Parent, Midwife, Charity	Yes No	7 Incorporated others views	No			Yes	
109 110	Does assessment of fetal heart rate by cardiotocography during the last 4-6 weeks or pregnancy and during labour reduce stillbirth?  How can hydrops be prevented?	Obstetrician Parent	No No	1 Respondents views only 1 Respondents views only	No No				
	What is the relative importance of fetal weight, placental perfusion and fetal arterial blood flow redistribution in the detection of pregnancies at ris			,					
111	of stillbirth?	Obstetrician & Friend/Family	No	1 Incorporated others views	No				
112 113	Would routine screening for Group B Streptococcus reduce stillbirth?  Would routine screening for thrombophilia (and treatment of patients with aspirin/heparin) reduce stillbirth?	Parent Indicative	No No	1 Respondents views only	No				
114	How can we monitor and police Apps and Home Doppler kits so that women are more aware not to rely on these for reassurance?	Midwife	No	1 Respondents views only	No				
	What do we understand about the factors that can indicate increased sick of stillhigh during third trimester coansing (e.g. cord entanglement) and					Vackamp et al. Relationship of isolanted single umbilities arter to fetal growth, accomplish and periods			
115	What do we understand about the factors that can indicate increased risk of stillbirth during third trimester scanning (e.g. cord entanglement) and what is the pathway for the remainder of the pregnancy and labour if these factors are detected?	Parent	No	4 Respondents views only	No	Voskamp et al. Relationship of isolaated single umbiliical artery to fetal growth, aneuploidy and perinata mortality: systematic review and meta-analysisis, Ultrasound Obstet Gynecol 2013;42:622-628	ar Insuffient data		
	Does education of maternity professionals about relevant signs and symptoms increase identification of pregnancies at increased risk of stillbirth?					, . ,			
116		Parent, Friend/Family, Midwife	Yes	4 Respondents views only	No				
117 118	Does staff-training reduce the risk of stillbirth?  How can communication and team-working in maternity care be optimised to reduce stillbirth?	Midwife Parent, Charity Worker	No Yes	1 Respondents views only 2 Incorporated others views	No No				
119	How well educated are maternity professionals about stillbirth?	Parent/Professional & Friend/Family	No	1 Respondents views only	No				
120	What support is required for staff caring for parents who have a stillbirth?	Professional, Midwife, Parent	Yes	5 Incorporated others views	No			Yes	
121 122	Why do professionals not always respond to symptoms and signs relating to stillbirth?  What is the optimal method for training midwives and obstetricians about stillbirth and related signs/symptoms	Parent Midwife, Charity Worker & Parent	No Yes	3 Respondents views only 4 Respondents views only	No No				
	What training do health professionals need to ensure that bereaved parents receive good care, treated with knowledge, understanding and			,	-				
123	compassion?	Midwife	No	2 Respondents views only	No				
124	Do maternity service improvements designed to improve the care and support provided to recently bereaved parents, such as training all members of the maternity team (multi-professional training), make a difference?	Obstetrician, Midwife	Yes	5 Incorporated others views	No			Ves	
125	How can student midwives and newly qualified midwives prepare for when providing bereavement care?	Midwife	No	2 Respondents views only	No			103	
126	How should the consent taker be trained in post-mortem training and how should competency be assessed?	Midwife	No	1 Respondents views only	Yes		Legal Requirement via Human Tissue Authority		
127	What is the best way of giving information to parents about post-mortem to improve the post-mortem consent process?	Pathologist, Midwife & Policy Maker, Midwife	Yes	7 Respondents views only	No	Wallbank and Robertson Midwife and Nurse Reponses to Miscarriage, Stillbirth and Neonatal Death: A			
128	What support do professionals need after stillbirth?	Midwife, Midwife & Friend/Family, Midwife & Parents, Neonatologist	Yes	7 Incorporated others views	No	Critical Review of qualitative stduies Evidence Based Mdwifery 2008		Yes	
129	Does elective Caesarean section for small for gestational age fetuses / oligohydramnios reduce the incidence of stillbirth?	Professional	No	1 Incorporated others views	No				
130	Is induction of labour safe in the presence of oligohydramnios?	Parent	No	1 Respondents views only	No				
131	Does preterm delivery for pregnancy complications have long-term health implications for the child?	Indicative	No		Yes	Machado-Junior et al. Late Prematurity: A Systematic Review J Pediatr (Rio) 2014;90(3):221-231.			
132	Does promotion of normal birth increase the risk of term stillbirth?	Professional	No	1 Incorporated others views	No				
133 134	Does restricting access to elective Caesarean section at 39 weeks increase the risk of stillbirth?  How is the risk of stillbirth in subsequent pregnancy discussed at counselling for elective Caesarean section?	Professional Friend/Family	No No	1 Incorporated others views 1 Respondents views only	No No				
135	Is it appropriate to deliver a compromised baby at 23 weeks rather than wait to 24 weeks and risk fetal death in utero?	Parent	No	1 Respondents views only	No				
136	What is the optimal place of birth to reduce the incidence of stillbirths?	Professional	No	1 Incorporated others views	Yes				
137 138	Which criteria should be used to identify at-risk preterm fetuses for intervention?  Would induction of labour at 38 weeks reduce the incidence of stillbirth?	Parent Midwife & Parent	No No	1 Respondents views only 1 Respondents views only	No Yes				
139	Should women with a low PAPP-A be induced at 38 weeks gestation?	Indicative	No	1 Nespondents views only	No				
140	Would induction of labour for increased BMI at 38 weeks reduce the incidence of stillbirth?	Indicative	No		No		Not specifically addressed as subgroup of Q138		
141	Should labour be induced before 42 weeks to prevent stillbirth?	Parent, Professional, Midwife Parent/Professional & Friend/Family, Parent, Neonatal Nurse, Professiona	Yes	4 Incorporated others views	Yes	Gulmezoglu AM et al. Cochrane Database Syst Rev, 2012, 3:CD004660			
142	Would induction of labour at 40 weeks reduce the incidence of stillbirth?	Obstetrician, Charity Worker, Midwife	Yes	12 Incorporated others views	Yes	Gulmezoglu AM et al. Cochrane Database Syst Rev, 2012, 3:CD004660			
143	Would increased fetal surveillance after 40 weeks reduce stillbirth?	Indicative	No		No				
144 145	Would routine Caesarean section at term prevent stillbirth  How can effective care be implemented?	Parent Parent/Professional, Charity Worker & Professional	No Yes	1 Respondents views only 2 Respondents views only	No No				
146	What is the optimal method to transfer research findings to parents?	Parent	No	1 Respondents views only	No				
147	How can stillbirths be prevented in higher-order multiple pregnancy?	Parent	No	1 Respondents views only	No				
148 149	How can stillbirths from twin to twin transfusion syndrome be prevented?  How can stillbirths of twins be prevented?	Friend/Family, Parent Parent	Yes No	2 Incorporated others views 1 Respondents views only	Yes				
150	How can stillbirths from fetal growth restriction be prevented in monochorionic twins?	Indicative	No	1 Nespondents views only	No				
151	How should behaviour be modified to reduce risk of stillbirth in subsequent pregnancies?	Midwife	No	1 Incorporated others views	No				
152 153	What are the factors determining information mothers receive during pregnancy?  What are the most effective strategies for smoking cessation during pregnancy?	Parent Charity Worker & Professional, Neonatologist, Midwife	No Yes	1 Incorporated others views 5 Respondents views only	No Yes				
154	What are the most effective ways to communicate health promotion messages in pregnancy?	Charity Worker	No	1 Incorporated others views	No				
155	What are the optimal health promotion strategies in the pre-conception period?	Professional, Obstetrician	Yes	2 Incorporated others views	No				
156 157	What are the policy implications for primary, pre-pregnancy, prevention of stillbirth?  What can women do in pregnancy to reduce their risk of stillbirth?	Midwife, Obstetrician Midwife	Yes No	2 Incorporated others views 2 Respondents views only	No No				
158	Can dietary modification reduce stillbirth in women with raised BMI?	Pathologist	No	1 Respondents views only	No				
159	What is the optimal management of women with increased BMI to reduce the incidence of stillbirth?	Indicative	No		No	Military and a selection of the selectio			
160	Which health promotion strategies can be used to reduce the incidence of stillbirth?	Midwife	No	1 Respondents views only	Yes	Whitworth and Dowswell Routine pre-pregnancy health promotion for improving pregnancy outcome. Cochrane Database Syst Rev, 2009 4:CD007536.			
161	Do health promotion strategies in the preconception period reduce the incidence of stillbirth?	Indicative	No		No				
162 163	Does smoking cessation reduce the incidence of stillbirth?  How can the effects of poverty be addressed to reduce the incidence of stillbirth?	Charity Worker & Professional Obstetrician	No No	1 Respondents views only 1 Respondents views only	Yes No				
164	Would a public health campaign be effective in stillbirth reduction?	Parent & Friend/Family	No No	1 Respondents views only	No No				
165	Are women given enough information about antenatal risk factors for stillbirth?	Midwife	No	1 Respondents views only	No				
		Midwife, Charity worker & Parent, Parent, Obstetrician, Professional & Parent, Pathologist, Professional, Neonatologist, Friend/Family, Midwife &							
166	What information could be given to mothers to reduce the incidence of stillbirth?	Policy Maker & Friend/Family	Yes	20 Incorporated others views	No				
167	What information could be given to mothers about risk factors to reduce the incidence of stillbirth?	Parent, Midwife	Yes	3 Respondents views only	No				
168	What information do parents think would raise awareness in pregnancy?	Midwife	No	1 Respondents views only	No				
169 170	What information do women and their partners need to know about stillbirth?  What is the best method to educate women about the signs and symptoms of stillbirth?	Midwife Indicative	No No	3 Respondents views only	No No			Ves	
170	What is the best method to educate women about the signs and symptoms of stillbirth?  What is the optimal content, timing and method of giving women information about stillbirth in pregnancy?	Charity Worker, Obstetrician	Yes	2 Incorporated others views	No			163	
172	What is the optimal method of giving women information about signs and symptoms relating to stillbirth?	Midwife, Parent, Professional & Parent	Yes	13 Incorporated others views	No				
173 174	Why are infectious diseases in pregnancy not discussed with parents?  Why is stillbirth not discussed with parents in pregnancy?	Parent Parent, Professional, Midwife	No Yes	1 Respondents views only 14 Incorporated others views	No No			Yes	
174	Would education for mothers about infections in pregnancy reduce the incidence of stillbirth?	Midwife	No	1 Respondents views only	No				
176	Would education of parents about relevant signs and symptoms reduce the incidence of stillbirth?	Parent, Charity Worker & parent & Friend/Family, Friend/Family	Yes	7 Incorporated others views	No				
177 178	Would more information about the risks of unexplained stillbirth increase maternal awareness?  Would parents welcome more information on stillbirth in antenatal care?	Midwife Parent	No No	1 Respondents views only 1 Respondents views only	No No				
178 179	What is the best method for health professionals to discuss stillbirth with women and their partners?	Indicative	No No	1 nespondents views Unity	No				
180	What is the optimal way to counsel women about the risks and benefits of home birth?	Indicative	No		No				
181 182	Would educating women about the possibility of stillbirth increase maternal anxiety?  Would professionals welcome giving more information on stillbirth to parents?	Midwife Indicative	No No	1 Respondents views only	No No				
183	Should there be a standardised form of medical records for use in pregnancy?	Midwife	No	1 Respondents views only	No				
184	How can standardised care be implemented across the UK?	Charity Worker	No	1 Incorporated others views	No				
185 186	Would standardised care improve care given after a stillbirth? (merged original Q225 + Q319)  How do we ensure care is consistent across all units?	Parent, Pathologist Friend/Family, Midwife	Yes Yes	2 Respondents views only 3 Respondents views only	No No				
187	What are the benefits of using national bereavement care notes?	Indicative	No	5 respondents views unity	No				
188	What are the reasons for stillbirth in "low-risk" women?	Obstetrician	No	1 Incorporated others views	No				
					Partial (reword Q to	Salihu et al. Early Hum Dev, 2007;83(11):713-20 (Smoking); Leonardi-Bee J, Pediatrics 2011;127(4):734-			
	Do modifiable "lifestyle" factors (diet, vitamin deficiency, smoking, obesity, sleep position, sleep apnoea, lifting & bending) cause or contribute to	Midwife, Parent/Professional, Parent, Friend/Family, Professional,			remove	741 (Passive Smoking). Yakoob et al. Reducing Stillbirths: behavioural and nutritional interventions	Only in some instances -Answered - Smoking, Passive Smoking,; Unanswered - Sleep		
189	stillbirth?	Obstetrician	Yes	21 Incorporated others views	smoking)	before and during pregnancy (Systematic Review) BMC Pregnancy and Childbirth 2009; 9 (Suppl 1):S3	position, obesity, vitamin deficiency	Yes	Yes

190	Does screening for maternal diseases such as diabetes, high blood pressure, heart conditions prevent stillbirth?	Parent, Pathologist, Neonatologist, Friend/Family	Yes	10 Incorporated others views	No	Syed et al. Effect of screening and management of diabetes during pregnancy on stillbirths BMC Public Health 2011 11(Suppl 3);S2	Insufficient data.	Yes	
130	boostacting to material diseases active diseases, mgr shoot pressure, mean conditions prefer to similarity.	Parent, Parent & Friend/Family, Midwife, Friend/Family, Professional,		10 meorporated others views		11cd(11 2011 11/34pp 3//32	indifficult data.	163	
		Professional & Friend/Family, Pathologist & Friend/Family, Charity Worker & Professional, Obstetrician, Pathologist, Neonatologist, Midwife & Policy	&						
191	What are the risk factors/causes of stillbirth?	Maker & Friend/Family	Yes	78 Incorporated others views	No				
192 193	Are mothers who have fertility treatment more likely to have a stillbirth?  Are some ethnic groups at higher risk of stillbirth?	Parent, Midwife Midwife	Yes No	3 Respondents views only 3 Respondents views only	No No				
194	Is stress and bereavement a risk factor or a cause of stillbirth?	Parent, Professional	Yes	4 Respondents views only	No				
195	How can we screen for placental abruption? What causes placental abruption? How do we identify placentas that will abrupt?	Parent, Obstetrician	Yes	9 Respondents views only	No No		3 questions in one. All unanswered.	Vee	
196	Would screening for infections such as gum disease, toxoplasmosis reduce stillbirth?	Midwife, Parent, Charity Worker	Yes	6 Incorporated others views	NO			Yes	
197	Is there a genetic or inherited component to stillbirth? Would screening for genetic components associated with stillbirth reduce stillbirth?	Parent, Midwife, Charity Worker	Yes	9 Incorporated others views	No			Yes	
198	What causes stillbirth in normally grown babies?	Pathologist, Friend/Family, Parent, Charity Worker, Professional & Parent, Obstetrician	Yes	13 Incorporated others views	No			Yes	Yes
199	Is there a link between stillbirth and recurrent miscarriage?	Parent	No	1 Respondents views only	No		One link is thyroid disease		
200	Do vaccines such as those for whooping cough and flu cause stillbirth?	Parent/Professional, Parent Parent/Professional, Parent, Midwife, Pathologist, Neonatologist,	Yes	2 Respondents views only	Yes				
201	Is there a link between stillbirth and sudden infant death syndrome?	Professional, Parent, Obstetrician	Yes	8 Incorporated others views	No			Yes	
202	How does cord length contribute to stillbirth and how can we prevent deaths caused by the cord being wrapped around the baby's neck?	Parent, Pathologist, Professional & Parent	Yes	4 Respondents views only	No				
203	Is Vasa praevia associated with or a cause of stillbirth?	Parent	No	1 Respondents views only	Yes				
204	Can we examine the placenta in pregnant women and assess the risk of stillbirth?	Parent, Pathologist, Midwife & Policy Maker & Friend/Family, Obstetrician	Voc	8 Incorporated others views	No		In some cases, but not all.	Voc	Voc
204	can we examine the procents in pregnant women and assess the risk of stilloren:	r arent, r attologist, who wire & r oney waker & r rendyr annly, obstetrician	163	b incorporated others views	140	Sanborn et al. Non cancer health effects of pesticides Can J Fam Phys 2007;53:1712-1720; Pope et al.	iii sonie cases, but not aii.	163	163
205	Do environmental factors such as exhaust fumes cause stillbirth?	Parent, Professional & Parent & Friend/Family	Yes	2 Respondents views only	Yes	Risk of Low Birth Weight and Stillbirth with Indoor Air Pollution from Solid Fuel Use in Developing Countries Epidemiol Rev 2010;32:70-81	Link between pesiticide exposure and fetal death; and solid fuel use and stillbirth.		
203		raient, riolessional & raient & rhendy rainily	ies	2 Respondents views only	res	Countries Epidemior Nev 2010,32.70-81	Link between pesiticide exposure and retai death, and solid ider use and stilloil th.		
200	Does Lupus or antiphospholipid syndrome cause stillbirth? (reworded)	Parent	No	1 December of the color	Vee	Abou-Nassar et al. The association between antiphospholipid antibodies and placenta mediated			
206 207	Are first time mothers more at risk of stillbirth?	No response	Unknown	1 Respondents views only 2 Unknown	Yes Yes	complications: A systematic review and meta-analysis Thombosis Research 2011;128:77-85.			
208	Is there a link between stillbirth and ABO blood group?	Charity Worker & Professional & Parent	No	1 Respondents views only	No				
209	Do some medicines cause stillbirth?	Parent, Midwife	Yes	2 Respondents views only	No	Mondal et al. Elevated risk of stillbirth in males: systematic review and meta-analysis of more than 30			
210	Are boys more likely to be stillborn than girls?	Parent	No	1 Respondents views only	Yes	million births. BMC Medicine 2014;12:220			
211 212	What is the role of the umbilical cord in stillbirth?  What is the cost-benefit analysis of different models of antenatal care?	Indicative Obstetrician	No No	1 Respondents views only	No No		Conflicting evidence No cost-benefit analysis as Q214 is unknown		
213	What is the cost-benefit analysis of interventions to prevent stillbirth?	Obstetrician	No	1 Respondents views only	No				
214 215	What is the cost of stillbirth? Why does stillbirth remain a taboo subject?	Obstetrician Parent	No No	1 Respondents views only 1 Respondents views only	No No				
216	Why is there a low level of awareness of stillbirth in the population?	Charity Worker & Parent, Charity Worker & Midwife	Yes	2 Incorporated others views	No				
217 218	What are the barriers among the public to talking about stillbirth? Why has stillbirth decreased at a slower rate than neonatal death?	Indicative Midwife	No No	1 Respondents views only	No No				
		Parent, Midwife, Parent/Professional, Professional/Parent & Friend/Family,		,					
219	Why is the incidence of stillbirth in the UK higher than comparable high-income countries and what lessons can we apply here?	Pathologist, Neonatologist, Charity Worker & Parent, Obstetrician, Professional	Ves	19 Incorporated others views	No			Ves	Ves
213			163	15 incorporated others views	140			163	ies
220	Would a national database of all stillbirths provide relevant information about causes that would be useful for women in pregnancy to know about	? Parent, Neonatologist, Professional, Charity Worker	Yes	4 Incorporated others views	No			Yes	
221	Would reporting of stillbirths by maternity unit and sharing this information assist in identifying poor performing units thereby reducing stillbirth?	Parent	No	1 Respondents views only	No				
222	How common is stillbirth in the UK?	Parent, Friend/Family Parent	Yes No	2 Respondents views only	Yes	Office of National Statistics DataSet, updated annually.			
223	Are there regional variances in stillbirth in the UK?  What percentage of stillbirths are avoidable due to a) poor antenatal care b) failure to identify known problems such as too large or too small	Parent	NO	1 Respondents views only	Yes	CMACE, CESDI and MBRRACE reports as well as Office of National Statistics Data			
224	babies?	Professional & Friend/Family	No	1 Respondents views only	No				
225	What targets should be set for the reduction of stillbirth	Charity Worker	No	1 Incorporated others views	No	Wilson and Salihu The paradox of obstetric near misses: converting maternal mortality inot morbidity In	l L		
226	What can we learn from near misses?	Midwife, Obstetrician	Yes	3 Respondents views only	Yes	Fertil Womens Med 2007;52(2-3):121-7.			
227 228	How can stillbirth be reduced?  Would an independent organisation from the NHS set up to investigate stillbirths help us to reduce stillbirth?	Midwife Charity Worker	No No	1 Respondents views only 1 Incorporated others views	No No				
229 230	How do we include the parents' perspective when reviewing the death of a baby (perinatal review) and feed back to them in an open way?  What is the best method to diagnose stillbirth?	Midwife, Charity Worker & Friend Obstetrician	Yes No	4 Incorporated others views 2 Respondents views only	No No			Yes	
231	Should women be offered a Caesarean section after their baby has died in utero?	Parent, Obstetrician, Midwife, Friend/Family	Yes	11 Incorporated others views	No			Yes	
232	Do women want induction of labour after diagnosis of stillbirth or do they prefer for labour to happen naturally?	Parent, Midwife	Yes	3 Respondents views only	No				
233	What are the counselling needs of parents after a stillbirth?	Parent, Charity Worker & Parent & Friend/Family, Midwife, Charity Worker	Yes	4 Incorporated others views	No			Yes	
234 235	Should a package of therapeutic care encompassing therapy/EMDR be offered to parents of stillborn babies?  Who should refer parents for counselling and who should provide counselling for bereaved parents?	Indicative Parent, Midwife	No Yes	3 Incorporated others views	No No			Ves	
236	Counselling - should parents be offered group and individual psychotherapy support after stillbirth?	Parent, Professional	Yes	2 Respondents views only	No				
237 238	Sharing of best practice in bereavement counselling for parents.  Did parents receive counselling after stillbirth and what was their experience?	Parent, Midwife Parent, Midwife & Policy Maker	Yes	4 Respondents views only 2 Respondents views only	No No				
239	What are the needs of parents and the wider family and are they being met?	Parent, Friend/Family, Professional	Yes	4 Respondents views only	No				
240 241	How do we help parents access bereavement counselling? In cases of clinical negligence should counselling be different/specialised?	Parent, Friend/Family, Midwife Friend/Family	Yes No	5 Respondents views only 1 Incorporated others views	No No				
242	Why can't parents access hospital based counselling services?	Parent, Midwife	Yes	4 Incorporated others views	No				
243	How can we stream line management process after a stillbirth?	Midwife	No	1 Respondents views only	No	76 Abstracts on Medline since 1978; Systematic Review from Campbell-Jackson L, Horsch L. The			
						Psychological Impact of Stillbirth on Women: A Systematic Review. Illness Crisis & Loss 2014;22(3):237-			
244 245	What is the impact of stillbirth on parents?  What is the impact of stillbirth on the wider family including other children?	Midwife, Parent, Parent & Friend/Family, Obstetrician Midwife, Parent, Friend/Family, Obstetrician	Yes	14 Incorporated others views	Yes No	256			
243			Yes	9 Respondents views only	INU	Hutti et al. Evaluation of the Perinatal Grief Intensity Scale in the Subsequent Pregnancy After Perinatal			
246 247	What is the best method for assessing maternal emotional wellbeing after stillbirth?  Does contact with the baby reduce the burden of psychological morbidity?	Parent/Professional, Policy Maker & Professional, Obstetrician Parent. Obstetrician	Yes	4 Incorporated others views 2 Respondents views only	No No	Loss JOGNN 2013;42:697-706.	Only one study. No systematic review.	Yes	
248	What are the long term psychological effects after stillbirth?	Charity Worker & Parent & Friend/Family	Yes No	1 Incorporated others views	No No				
249 250	What is the impact of stillbirth on pagents from different cultural and religious backgrounds?	Friend/Family, Parent Midwife	Yes No	2 Respondents views only	No No				
251	What is the impact of stillbirth on parents from different cultural and religious backgrounds?  What are the experiences of midwives from different ethnic and cultural backgrounds caring for bereaved parents?	Midwife	No No	1 Respondents views only 1 Respondents views only	No No				
252	What is to be gained by using national bereavement care notes?	Midwife, Parent	Yes	4 Respondents views only	No	Padophoret et al. The psychological effects of stillkinth and any could be the first of the country of the coun			
253	What support do fathers need and what is currently available to support them?	Midwife, Charity Worker	Yes	3 Incorporated others views	No	Badenhorst et al. The psychological effects of stillbirth and neonatal death on fathers: a Systematic Review. J Psychosom Obstet Gynaecol 2006;27(4):245-256.	Insufficient data.	Yes	
		, , , , , , , , , , , , , , , , , , ,				• • • • • • • • • • • • • • • • • • • •			
254 255	What are parents' experiences of bereavement care? What are the experiences of care of disadvantaged and minority groups?	Parent, Professional/Parent & Friend/Family, Parent, Obstetrician, Midwife Indicative	res No	6 Incorporated others views	Yes No				
256	What is the optimal bereavement and post natal care for parents after a stillbirth?	Midwife	No	1 Respondents views only	No			Yes	Yes
		Parent, Parent & Friend/Family, Midwife, Friend/Family, Parent/Professiona	al.						
	How do we improve communication with obese women after a stillbirth to reduce feelings of guilt?	Commercial Organisation, Charity Worker & Parent & Friend/Family,							
257		Professional, Midwife & Policy Maker & Friend/Family, Obstetrician	Yes	39 Incorporated others views	No	Koopmans L et al. Support for mothers, fathers and families after perinatal loss, Cochrane Database Sys	<b>.</b>		
258	What support is required for parents who wish to take their baby home or spend time with them (e.g. use of cold cots)? (reworded)	Midwife	No	1 Respondents views only	No	Rev 2013 6:CD000452	<del>.</del>		
259 260	How should women be supported women through birth process after a baby has died? (reworded)  What is the impact on perinatal mental health when dedicated bereavement suites are not available? (reworded)	Parent Professional & Parent	No No	1 Respondents views only 1 Respondents views only	No No				
261	What are the most important resources for parents that provide information on what to expect? (reworded)	Midwife, Parent	Yes	2 Respondents views only	No No				
	How do we improve signposting for support after stillbirth?								
262 263	How should the dead baby be givento parents to promote positive memories? (reworded)	Parent, Charity Worker & Parent & Friend/Family, Professional & Parent Friend/Family, Professional & Parent	Yes Yes	3 Incorporated others views 2 Respondents views only	No No				
264	How long should parents be followed up after stillbirth?	Friend/Family, Midwife	Yes	3 Respondents views only	No				
265 266	What are the benefits of coordinated postnatal care after stillbirth?  What is the role of the bereavement midwife and continuity of care following stillbirth?	Parent, Friend/Family Parent, Professional & Parent & Friend/Family, Midwife	Yes Yes	4 Respondents views only 4 Incorporated others views	No No			Yes	
		Parent & Friend/Family, Midwife, Parent, Professional & Parent &							
267	The role of the community midwife	Friend/Family	Yes	10 Incorporated others views	No	Gold. Navigating care after a baby dies: a systematic review of patient experiences with health provider	rs		
268	Which professionals should be involved in caring for parents after a stillbirth?	Parent, Midwife	Yes	2 Respondents views only	No	J Perinatology 2007;27:230-237			
269	What are the gaps in provision of post natal care when parents leave hospital?	Professional/Parent & Friend/Family, Midwife, Policy Maker & Professional, Professional	Yes	7 Incorporated others views	No			Yes	
270	Should neonatalogists be involved in Bereavement Care Pathway?	Parent & Friend/Family, Parent	No	3 Respondents views only	No				
271	How can we improve the access parents have to support services after they've left hospital?	Indicative	No		No				

May   1999								
Marie	272	What is the optimal management of breast milk suppression after stillbirth?	Parent, Policy Maker & Professional, Professional, Midwife & Parent,	Voc	E Incorporated others views	Voc		Voc
Page		What are the benefits of using cold cots? (reworded)		No			9:0003937	res
						No		
Part						No		
March   Marc						No		
Marche   M				No		No		
May suppose the property of				No Vos	12 Incorporated others views	No No		Voc
1				No		No		res
Company   Comp	282			No	,	No		
Part				No		No		
Section   Sect						No No		
1						No		
Manufacture of the control of the				No No		No No		
No serious from the first of						No		
Section   Sect	290			No	1 Respondents views only	No		
Second	201	Could an interview with the parents carried out in conjunction with a post-mortem help identify possible causes of unexplained stillbirth?		Var	10 Incorporated others views	Vec	20A studies demonstrating effectiveness of PM. Placental histology and chromosomal analysis	
Mail	251	Could better coordination of post-mortems and collation of large quantities of post-mortem evidence help to identify trends in 'unexplained'	rield/railily	res	15 incorporated others views	res	204 Studies demonstrating effectiveness of FWI, Flatental instrings and children analysis	
Market   M	292	stillbirths?		No	2 Incorporated others views	No		
Section of the state of the s				No		No		
Mathematical sequence production of the sequen						No No		
Marie   Mari						No		
Part								
Market and Market an	298		Midwife & Policy Maker	No	1 Respondents views only	No		
Market   M	299		Parent	No	1 Respondents views only	No		
1	300			No	1 Incorporated others views	No		
	201			No	1 Perpendents views only	No		
Part	301		widwire	NO	1 Respondents views only	NO		
Antiquid and All Anti	302	Should all babies with evidence of growth restriction, stillborn and alive be offered placental examination to further research evidence?	Parent	No	1 Respondents views only	No		
Section   Sect	202	Why do we still have a stillbirth classification system that does not recognise intrauterine growth restriction as a cause? (wigglesworth)	Designated & Descrit & Estand/Facethy	No	1 December 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NI-		
1		Should biochemical and baematological tests (on the mother) to find out the reason for death be performed routinely?		No.		No No		
1				No		No		
Section of the content of the cont	306		Obstetrician	No		No		
Section   Sect						No		
Second						No No		
Mathematical darks during general state during file and general	503				2 nespondents views only			
Machine   Mach				No		No		
Section of the control of the cont						No		
Part						No No		
1						No.		
1						No		
See the source of the production in transcript output of production in transcript outp				Yes		No		
Self-street work of language register in the								Yes
Part						ves No		Yes
For the second support in subsquaring progents in widows bearing subsquaring frequency and subsquaring progents in widows of the progent progent subsquaring frequency and subsquaring frequency subsq					,		Ptacek et al. Systematic Review of placental pathology reported in association with stillibrth Placenta	
Part   Selection   Transport   Selection   Transport   Selection	320	In the absence of a full post mortem, what tests give valuable information?	Parent, Obstetrician	Yes	2 Respondents views only	Yes	2014;35:552-562.	
Part   Selection   Transport   Selection   Transport   Selection	321	How can we ensure care and support in a subsequent pregnancy is evidence based, 'balanced' and meets women's individual needs?	Obstetrician, Midwife, Parent	Yes	7 Respondents views only	No		
Second processes of a second supposed planes to excess for configuration supposed planes as possible programmed planes as po			Midwife, Parent, Parent/Professional, Friend/Family, Commerical		,			
Second process of the second programme in whose pages of coins to programme in this page of pages of the second programme in whose pages of coins to programme in this page of pages of the page of the page of pages of the page of								
Solid solid materning with these a specific dist to provide care in preparing yather sellibrith with in liet by clinical with an interest in this same of preparating partners and interest in the same of preparating partners and interest in the same of preparating and interest in the sa	322		Friend/Family	Yes	33 Incorporated others views	No		Yes
Wood all annumber memory is 2, spool-bring, massag, yeagl so of learning the memogeneting of special friend plants of the prophesions of the prophesions of friend plants of the prophesions of	323	Is women's experience of care in subsequent pregnancies improved by better access to records from stillborn pregnancies/post-mortems?	Midwife	No	1 NULL	No		
Wood all annumber memory is 2, spool-bring, massag, yeagl so of learning the memogeneting of special friend plants of the prophesions of the prophesions of friend plants of the prophesions of		Should each maternity unit have a specific clinic to provide care in pregnancy after stillbirth which is led by clinicans with an interest in this area?						
Accordance with a mining of cellistry, it, then any medication of celling-regional part allers of celling-regional part alle				No No		No No		
Mail ret le populosignatifient for fatal loss on subsequent pregnancier?  Does apoint reduit or pregnancy complications in woman with bilatory of provious stillottin?  Does apoint reduit or pregnancy complications in woman with bilatory of provious stillottin?  Does apoint reduit or pregnancy complications in woman with bilatory of provious stillottin?  Morified Company Complication in woman with bilatory of provious stillottin?  Morified Company Complication in woman with bilatory of provious stillottin?  Morified Company Company Complication in woman with bilatory of provious stillottin?  Morified Company Company Complication in woman with bilatory of provious stillottin?  Morified Company Company Company Complication in woman with bilatory of provious stillottin?  Morified Company Com				No.		No No		
Part								
se aprie reduce preguntario un uname with lattory of previous tillibenth; or can selfat denominage the feat of premate)  Antipalitation in uname with lattory of previous tillibenth; or can selfat denominage the feat of premate)  Antipalitation in uname with lattory of previous tillibenth; or can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the can selfat denominage the feat of premate)  Antipalitation in the selfat complication of contrained the selfat the can selfat denominage the feat of premate in subsequent pregunage of feat many and selfat the selfat the can selfat the	327	That are the psychological effects of fetal ios of subsequent pregnancies.	Obstetrician, Parent	Yes	2 Respondents views only	Yes		
In pregnancies after estillation, how can staff actionwiselegis the fear of parents?    Parent   Paren								
Sould preguant women who have eagerifected one stillibith be given hand-held Dopples to monitor heartbeat in future pregnancies?  In plus have an unexplained stillibith how do they spot hat happening again when they foot know what they're looking for how can staff support women and their partners in subsequent pregnancies to prevent another, stress and any associated increased visits to how can staff support women and their partners in subsequent pregnancies to prevent another, stress and any associated increased visits to how can staff support women and their partners in subsequent pregnancies to prevent another, stress and any associated increased visits to how can staff support women and their partners in subsequent pregnancy to furnish partners in subsequent pregnancy to furnish partners in subsequent pregnancy and staff strend/Family, Midwife partners in subsequent pregnancy to furnish subsequent pregnancy to family worker & Parent, Perfessional & Priend, Parent, Perfessional & Priend, Parent, Perfessional & Paren		Does aspirin reduce pregnancy complications in women with history of previous stillbirth?						
Angular present women who have experienced one stillishish be given hand-held Dopplers to monitor heartheait in future pregnancies   noticiative   noticia		In account of the skillbirth have an atoff advantage the four of any 112		No			2;CD004659.	
If you have an unequalment stillbirth how do they stop; it happenine gain when they don't know what they're looking for indicative	329		Obstetrician	No	1 Respondents views only	No		
Now can staff support women and their partners in subsequent pregnancies to prevent anweity, stress and any associated increased wish factor as talking and their partners in subsequent pregnancy after stillbirth?  32 be stillbirth a central pregnancy after stillbirth?  33 be still birth a central pregnancy after stillbirth?  34 birth a tentral care stool be provided in a subsequent pregnancy of families who have suffered a stillbirth?  35 birth a tentral care should be provided in a subsequent pregnancy of families who have suffered a stillbirth?  36 birth a provincipal support should be provided by even in a subsequent pregnancy of families who have suffered a stillbirth?  37 birth a provincipal support should be provided by even in a subsequent pregnancy of families who have suffered a stillbirth?  38 birth a provincipal subsequent pregnancy of families who have suffered a stillbirth?  39 birth a provincipal subsequent pregnancy of families who have suffered a stillbirth?  39 birth a provincipal subsequent pregnancy of families who have suffered a stillbirth?  39 birth a provincipal subsequent pregnancy of families who have subsequent pregnancy of subsequent pregnancy of families who have subsequent pregnancy of subsequent pregnancy of families who have subsequent pre	330	Should pregnant women who have experienced one stillbirth be given hand-held Dopplers to monitor heartbeat in future pregnancies?	Indicative	No		No		
hathbare settlings?  An eithbare settlings.  An eithba	331	, , , , , , , , , , , , , , , , , , , ,	Indicative	No		No		
93. Obes stillbirth impact on fertillby? 34. Alt antental care sould be provided in a subsequent pregnancy after stillbirth? 35. Value provided gas support should be given due in a subsequent pregnancy to families who have suffered a stillbirth? 36. Parent, Perrote Friend/Family, MicWer & Parent, Professional & Parent,	222		to directive	No		NI-		V V
4 What antenstal care should be growined in a subsequent pregnancy for smilled by given in a subsequent pregnancy for families who have suffered a stillbirth?  4 Parent, Parent & Friend/Family, Charity Worker & Parent, Parent & Friend/Family, Parent  5 What a care the risks of having a stillbirth in a subsequent pregnancy?  5 What a care the risks of having a stillbirth in a subsequent pregnancy?  5 What a care the risks of having a stillbirth in a subsequent pregnancy?  5 What a care the risks of having a stillbirth in a subsequent pregnancy?  5 What gestation should women who have had stillbirth be usefu?  5 What gestation should women who have had stillbirth be usefu?  5 What gestation should women who have had stillbirth be delivered in the absence of complications?  5 Would progressfore greent stillbirth in subsequent pregnancies? (reworded)  5 Would progressfore greent stillbirth in subsequent pregnancy in the beneficial to all pregnant women?  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Would side-and protect monochronic twins in utero? (reworded)  5 Woul				Yes	6 Incorporated others views	No No		res Yes
What prevention protein a subsequent pregnancy to families who have suffered a stillbirth?  And are the risks of having a stillbirth in a subsequent pregnancy?  Midwife, Obstetrician  Midwife, Prient, Parent, Prient/Family, Charity Worker & Parent, Prient/Family, Parent, Parent, Parent, Prient/Family, Parent,				No		No		
What are the nisks of having a stillorith in a subsequent pregnancy?  Midwife, Obstetrician  Yes 7 Incorporated others views 8 Respondents views only No 1 Respondents views only No 1 Respondents views only No 1 Respondents views only No 338 Would antenated classes for women who have had stillibrir be useful?  Midwife No 1 Respondents views only No 340 Would prohibytactic low doos aspirin, sidensfile, statins? (reworded)  Parent No 0 1 Respondents views only No 1 Respondents	335		Charity Worker & Parent, Professional & Parent	No		No		
Where an women get help if their doctor won't help them?  What gestation should women with haits rot of scillibirith be delivered in the absence of complications?  Midwife  No  1 Respondents views only  No  No  1 Respondents views only  No  Would prophylactic low dose aspirin be beneficial to all pregnant women?  Would progesterone prevent stillibirith in subsequent pregnancies? (reworded)  Parent  No  1 Respondents views only  No  Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women  Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women	226	What are the risks of having a stillbirth in a subsequent pregnancy?		Voc	7 Incorporated others views	No		
Would antenatal classes for women who have had stillbirth be useful?  Midwife  No  1 Respondents views only  No  1 Respondents		Where can women get help if their doctor won't help them?		Yes		No		
Mid gestation should women with a history of stillbirth be delivered in the absence of complications?  Midwife  Obstetrician, Midwife, Pathologist  No  1 Respondents views only  No  Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women  Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women  No onsidered at risk of placental dysfunction Cochrane Database Syst Rev, 2013, 7:CD006780  Heparin answered.						No		
41 Would progesterone prevent stillbirth in subsequent pregnancies? (reworded) 42 Would sidenafil protect monochorionic twins in utero? (reworded) 43 Would sidenafil protect monochorionic twins in utero? (reworded) 44 Would sidenafil protect monochorionic twins in utero? (reworded) 45 Would sidenafil protect monochorionic twins in utero? (reworded) 46 Would progesterone prevent stillbirth in subsequent pregnancies? (reworded) 47 Respondents views only 48 Parent 49 No 40 Respondents views only 50 No 50 Respondents views only 50 No 50 N	339	What gestation should women with a history of stillbirth be delivered in the absence of complications?	Midwife		1 Respondents views only	No		
42 Would sildenafil protect monochorionic twins in utero? (reworded) When a baby is identified as high risk, what interventions are safe and effective at reducing this risk? At extreme preterm gestational ages: are there  As disease modifying therapies that are effective, e.g., low dose aspirin, sildenafil, statiss? (reworded)  Parent  No 1 Respondents views only No  Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women  Outcome of the parin answered.  As disease modifying therapies that are effective, e.g., low dose aspirin, sildenafil, statiss? (reworded)  Parent  No 1 Respondents views only No Obdd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women  or onsidered at risk of placental dysfunction Cochrane Database Syst Rev., 2013, 7:CD006780  Heparin answered.						No		
When a baby is identified as high risk, what interventions are safe and effective at reducing this risk? At extreme preterm gestational ages: are there  343 disease modifying therapies that are effective, e.g. low dose aspirin, sildenafil, statins? (reworded)  About the subject of the protection of								
disease modifying therapies that are effective, e.g. low dose aspirin, sildenafil, statins? (reworded)  Parent No 1 Respondents views only No  Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women  Add How can elective delivery be most effectively targeted to the babies at highest risk? Obstetrician No 1 Respondents views only No considered at risk of placental dysfunction Cochrane Database Syst Rev, 2013, 7:CD006780 Heparin answered.	342				copondents views only			
How can elective delivery be most effectively targeted to the babies at highest risk?  Obstetrician  No 1 Respondents views only No considered at risk of placental dysfunction Cochrane Database Syst Rev, 2013, 7:CD006780  Heparin answered.	343			No	1 Respondents views only	No		
How can elective delivery be most effectively targeted to the babies at highest risk?  Obstetrician  No 1 Respondents views only No considered at risk of placental dysfunction Cochrane Database Syst Rev, 2013, 7:CD006780  Heparin answered.							Dodd et al. Antithrombotic therapy for improving maternal or infant health outcomes in women	
	344	How can elective delivery be most effectively targeted to the babies at highest risk?	Obstetrician	No	1 Respondents views only	No		
	346		Midwife, Neonatologist, Obstetrician, Parent	Yes		No		Yes